

AMENDMENTS TO THE CLAIMS

Claims 1 has been amended. The changes in Claim 1 are shown correctly with ~~strikethroughs~~ for deleted matter and underlining for added matter. A complete listing of the claims is set out below, with proper claim identifiers.

1. (Currently Amended) A flame resistant union fabric obtained by co-weaving:
a compound yarn (A) comprising 30% to 70% by weight of the union fabric,
said compound yarn obtained by compounding a halogen-containing flame resistant fiber (a-1) including 25 to 50 parts by weight of an antimony compound ~~25 to 50 parts by weight in~~
100 parts by weight of an acrylic based copolymer ~~100 parts by weight~~ obtained by
polymerizing 30 to 70% by weight of a monomer mixture including acrylonitrile, 30 to 70%
by weight of a halogen containing vinyl based monomer ~~30 to 70% by weight,~~ and 0 to 10%
by weight of a vinyl based monomer copolymerizable therewith ~~0 to 10% by weight,~~ and an
~~other~~another fiber (a-2), the compound yarn (A) having an elongation percentage less than
5% under a condition of a load of 300 mg/metric count of No. 17, and of a temperature range
of 100 degrees C to 500 degrees C; and

a cellulosic fiber yarn (B) comprising 70 to 30% by weight of the union fabric.

2. (Original) The flame resistant union fabric according to Claim 1, wherein the
cellulosic fiber yarn (B) consists of a t least one kind selected from a group consisting of
cotton, hemp, rayon, polynosic, cupra, acetate, and triacetate.